

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		7.1%	1.1%
	13-19	Count		1	1
		% within Sex		7.1%	1.1%
	20-24	Count	8	1	9
		% within Sex	9.9%	7.1%	9.5%
	25-29	Count	10	2	12
		% within Sex	12.3%	14.3%	12.6%
	30-39	Count	39	4	43
		% within Sex	48.1%	28.6%	45.3%
	40-49	Count	19	3	22
		% within Sex	23.5%	21.4%	23.2%
	50-59	Count	4	2	6
		% within Sex	4.9%	14.3%	6.3%
	60-69	Count	1		1
		% within Sex	1.2%		1.1%
Total		Count	81	14	95
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	18	6	24
		% within Sex	22.2%	42.9%	25.3%
	African American	Count	1	1	2
		% within Sex	1.2%	7.1%	2.1%
	Hispanic	Count	62	7	69
		% within Sex	76.5%	50.0%	72.6%
Total	Count	81	14	95	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	65		65
		% within Sex	80.2%		68.4%
	IDU	Count	4	3	7
		% within Sex	4.9%	21.4%	7.4%
	M-M & IDU	Count	3		3
		% within Sex	3.7%		3.2%
	Heterosexual Contact	Count	5	8	13
		% within Sex	6.2%	57.1%	13.7%
	Transfusion	Count	3	1	4
		% within Sex	3.7%	7.1%	4.2%
	Not Classified	Count	1	1	2
		% within Sex	1.2%	7.1%	2.1%
	Ped Parent at Risk	Count		1	1
		% within Sex		7.1%	1.1%
Total		Count	81	14	95
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		24	24
		% within Adult-Ped		25.5%	25.3%
	African American	Count	1	1	2
		% within Adult-Ped	100.0%	1.1%	2.1%
	Hispanic	Count		69	69
		% within Adult-Ped		73.4%	72.6%
Total	Count	1	94	95	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		81	81
		% within Adult-Ped		86.2%	85.3%
	Female	Count	1	13	14
		% within Adult-Ped	100.0%	13.8%	14.7%
Total		Count	1	94	95
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3		3
		% within Sex	3.8%		3.2%
	13-19	Count	3	2	5
		% within Sex	3.8%	14.3%	5.4%
	20-24	Count	8	3	11
		% within Sex	10.1%	21.4%	11.8%
	25-29	Count	13	2	15
		% within Sex	16.5%	14.3%	16.1%
	30-39	Count	26	4	30
		% within Sex	32.9%	28.6%	32.3%
	40-49	Count	16	3	19
		% within Sex	20.3%	21.4%	20.4%
	50-59	Count	7		7
		% within Sex	8.9%		7.5%
	60-69	Count	3		3
		% within Sex	3.8%		3.2%
	Total		79	14	93
			100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	8	3	11
		% within Sex	10.1%	21.4%	11.8%
	African American	Count	7	2	9
		% within Sex	8.9%	14.3%	9.7%
	Hispanic	Count	64	9	73
		% within Sex	81.0%	64.3%	78.5%
Total	Count	79	14	93	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	45		45
		% within Sex	57.0%		48.4%
	IDU	Count	13	3	16
		% within Sex	16.5%	21.4%	17.2%
	M-M & IDU	Count	7		7
		% within Sex	8.9%		7.5%
	Heterosexual Contact	Count		5	5
		% within Sex		35.7%	5.4%
	Transfusion	Count	1		1
		% within Sex	1.3%		1.1%
	Not Classified	Count	10	6	16
		% within Sex	12.7%	42.9%	17.2%
	Ped Parent at Risk	Count	3		3
		% within Sex	3.8%		3.2%
Total		Count	79	14	93
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		11	11
		% within Adult-Ped		12.2%	11.8%
	African American	Count		9	9
		% within Adult-Ped		10.0%	9.7%
	Hispanic	Count	3	70	73
		% within Adult-Ped	100.0%	77.8%	78.5%
Total		Count	3	90	93
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	76	79
		% within Adult-Ped	100.0%	84.4%	84.9%
	Female	Count		14	14
		% within Adult-Ped		15.6%	15.1%
Total		Count	3	90	93
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	1	6
		% within Sex	2.1%	1.9%	2.1%
	1 (12-23 mo)	Count	1		1
		% within Sex	.4%		.3%
	2-4	Count		2	2
		% within Sex		3.8%	.7%
	13-19	Count	5	6	11
		% within Sex	2.1%	11.5%	3.8%
	20-24	Count	26	8	34
		% within Sex	11.0%	15.4%	11.8%
	25-29	Count	34	7	41
		% within Sex	14.4%	13.5%	14.2%
	30-39	Count	98	14	112
		% within Sex	41.5%	26.9%	38.9%
	40-49	Count	48	10	58
		% within Sex	20.3%	19.2%	20.1%
	50-59	Count	14	3	17
		% within Sex	5.9%	5.8%	5.9%
	60-69	Count	4		4
		% within Sex	1.7%		1.4%
	70+	Count	1	1	2
		% within Sex	.4%	1.9%	.7%
Total		Count	236	52	288
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	32	13	45
		% within Sex	13.6%	25.0%	15.6%
	African American	Count	14	6	20
		% within Sex	5.9%	11.5%	6.9%
	Hispanic	Count	187	33	220
		% within Sex	79.2%	63.5%	76.4%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.4%		.3%
	Not Specified	Count	2		2
		% within Sex	.8%		.7%
Total		Count	236	52	288
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	148		148
		% within Sex	62.7%		51.4%
	IDU	Count	29	11	40
		% within Sex	12.3%	21.2%	13.9%
	M-M & IDU	Count	16		16
		% within Sex	6.8%		5.6%
	Heterosexual Contact	Count	11	25	36
		% within Sex	4.7%	48.1%	12.5%
	Transfusion	Count	4	1	5
		% within Sex	1.7%	1.9%	1.7%
	Not Classified	Count	22	12	34
		% within Sex	9.3%	23.1%	11.8%
	Ped Parent at Risk	Count	6	3	9
		% within Sex	2.5%	5.8%	3.1%
Total	Count	236	52	288	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		45	45
		% within Adult-Ped		16.1%	15.6%
	African American	Count	1	19	20
		% within Adult-Ped	11.1%	6.8%	6.9%
	Hispanic	Count	8	212	220
		% within Adult-Ped	88.9%	76.0%	76.4%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.4%	.3%
	Not Specified	Count		2	2
		% within Adult-Ped		.7%	.7%
Total		Count	9	279	288
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	6	230	236
		% within Adult-Ped	66.7%	82.4%	81.9%
	Female	Count	3	49	52
		% within Adult-Ped	33.3%	17.6%	18.1%
Total		Count	9	279	288
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	1	6
		% within Sex	2.1%	2.0%	2.1%
	1 (12-23 mo)	Count	1		1
		% within Sex	.4%		.4%
	2-4	Count		2	2
		% within Sex		3.9%	.7%
	13-19	Count	5	6	11
		% within Sex	2.1%	11.8%	3.9%
	20-24	Count	26	8	34
		% within Sex	11.2%	15.7%	12.0%
	25-29	Count	33	7	40
		% within Sex	14.2%	13.7%	14.1%
	30-39	Count	98	14	112
		% within Sex	42.1%	27.5%	39.4%
	40-49	Count	46	10	56
		% within Sex	19.7%	19.6%	19.7%
	50-59	Count	14	2	16
		% within Sex	6.0%	3.9%	5.6%
	60-69	Count	4		4
		% within Sex	1.7%		1.4%
	70+	Count	1	1	2
		% within Sex	.4%	2.0%	.7%
Total		Count	233	51	284
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count		1	1
		% within Sex		2.0%	.4%
	1 (12-23 mo)	Count	1		1
		% within Sex	.4%		.4%
	2-4	Count	3		3
		% within Sex	1.3%		1.1%
	5-12	Count	2	1	3
		% within Sex	.9%	2.0%	1.1%
	13-19	Count	1	1	2
		% within Sex	.4%	2.0%	.7%
	20-24	Count	13	10	23
		% within Sex	5.6%	19.6%	8.1%
	25-29	Count	25	8	33
		% within Sex	10.7%	15.7%	11.6%
	30-39	Count	95	15	110
		% within Sex	40.8%	29.4%	38.7%
40-49	Count	63	9	72	
	% within Sex	27.0%	17.6%	25.4%	
50-59	Count	24	5	29	
	% within Sex	10.3%	9.8%	10.2%	
60-69	Count	5		5	
	% within Sex	2.1%		1.8%	
70+	Count	1	1	2	
	% within Sex	.4%	2.0%	.7%	
Total		Count	233	51	284
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total	
			Male	Female		
Race-Ethnicity	White Non-Hispanic	Count	31	13	44	
		% within Sex	13.3%	25.5%	15.5%	
	African American	Count	14	5	19	
		% within Sex	6.0%	9.8%	6.7%	
	Hispanic	Count	185	33	218	
		% within Sex	79.4%	64.7%	76.8%	
	Asian-Pacific Islander	Count	1		1	
		% within Sex	.4%		.4%	
	Not Specified	Count	2		2	
		% within Sex	.9%		.7%	
	Total		Count	233	51	284
			% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	147		147
		% within Sex	63.1%		51.8%
	IDU	Count	29	10	39
		% within Sex	12.4%	19.6%	13.7%
	M-M & IDU	Count	15		15
		% within Sex	6.4%		5.3%
	Heterosexual Contact	Count	11	25	36
		% within Sex	4.7%	49.0%	12.7%
	Transfusion	Count	3	1	4
		% within Sex	1.3%	2.0%	1.4%
	Not Classified	Count	22	12	34
		% within Sex	9.4%	23.5%	12.0%
	Ped Parent at Risk	Count	6	3	9
		% within Sex	2.6%	5.9%	3.2%
Total		Count	233	51	284
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		44	44
		% within Adult-Ped		16.0%	15.5%
	African American	Count	1	18	19
		% within Adult-Ped	11.1%	6.5%	6.7%
	Hispanic	Count	8	210	218
		% within Adult-Ped	88.9%	76.4%	76.8%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.4%	.4%
	Not Specified	Count		2	2
		% within Adult-Ped		.7%	.7%
Total	Count	9	275	284	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	6	227	233
		% within Adult-Ped	66.7%	82.5%	82.0%
	Female	Count	3	48	51
		% within Adult-Ped	33.3%	17.5%	18.0%
Total		Count	9	275	284
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1	2	3
		% within Sex	1.5%	22.2%	4.1%
	25-29	Count	5		5
		% within Sex	7.7%		6.8%
	30-39	Count	28	3	31
		% within Sex	43.1%	33.3%	41.9%
	40-49	Count	14	1	15
		% within Sex	21.5%	11.1%	20.3%
	50-59	Count	13	2	15
		% within Sex	20.0%	22.2%	20.3%
	60-69	Count	3	1	4
		% within Sex	4.6%	11.1%	5.4%
	70+	Count	1		1
		% within Sex	1.5%		1.4%
Total		Count	65	9	74
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	14	1	15
		% within Sex	21.5%	11.1%	20.3%
	African American	Count	1	1	2
		% within Sex	1.5%	11.1%	2.7%
	Hispanic	Count	50	7	57
		% within Sex	76.9%	77.8%	77.0%
Total	Count	65	9	74	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	38		38
		% within Sex	58.5%		51.4%
	IDU	Count	13	6	19
		% within Sex	20.0%	66.7%	25.7%
	M-M & IDU	Count	1		1
		% within Sex	1.5%		1.4%
	Heterosexual Contact	Count	4	2	6
		% within Sex	6.2%	22.2%	8.1%
	Transfusion	Count	2		2
		% within Sex	3.1%		2.7%
	Not Classified	Count	7	1	8
		% within Sex	10.8%	11.1%	10.8%
Total	Count	65	9	74	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	15	15
		% within Adult-Ped	20.3%	20.3%
	African American	Count	2	2
		% within Adult-Ped	2.7%	2.7%
	Hispanic	Count	57	57
		% within Adult-Ped	77.0%	77.0%
Total	Count	74	74	
	% within Adult-Ped	100.0%	100.0%	

a. Planning Area = West Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	65	65
		% within Adult-Ped	87.8%	87.8%
	Female	Count	9	9
		% within Adult-Ped	12.2%	12.2%
Total		Count	74	74
		% within Adult-Ped	100.0%	100.0%

a. Planning Area = West Texas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	1	3
		% within Sex	1.9%	6.3%	2.5%
	20-24	Count	2		2
		% within Sex	1.9%		1.7%
	25-29	Count	15	4	19
		% within Sex	14.3%	25.0%	15.7%
	30-39	Count	40	4	44
		% within Sex	38.1%	25.0%	36.4%
	40-49	Count	34	3	37
		% within Sex	32.4%	18.8%	30.6%
	50-59	Count	8	3	11
		% within Sex	7.6%	18.8%	9.1%
	60-69	Count	4		4
		% within Sex	3.8%		3.3%
	70+	Count		1	1
		% within Sex		6.3%	.8%
Total		Count	105	16	121
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	22	2	24
		% within Sex	21.0%	12.5%	19.8%
	African American	Count	4	1	5
		% within Sex	3.8%	6.3%	4.1%
	Hispanic	Count	79	13	92
		% within Sex	75.2%	81.3%	76.0%
Total	Count	105	16	121	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	71		71
		% within Sex	67.6%		58.7%
	IDU	Count	13	2	15
		% within Sex	12.4%	12.5%	12.4%
	M-M & IDU	Count	2		2
		% within Sex	1.9%		1.7%
	Heterosexual Contact	Count	6	9	15
		% within Sex	5.7%	56.3%	12.4%
	Transfusion	Count	2	3	5
		% within Sex	1.9%	18.8%	4.1%
	Not Classified	Count	11	2	13
		% within Sex	10.5%	12.5%	10.7%
Total	Count	105	16	121	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	24	24
		% within Adult-Ped	19.8%	19.8%
	African American	Count	5	5
		% within Adult-Ped	4.1%	4.1%
	Hispanic	Count	92	92
		% within Adult-Ped	76.0%	76.0%
Total	Count	121	121	
	% within Adult-Ped	100.0%	100.0%	

a. Planning Area = West Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	105	105
		% within Adult-Ped	86.8%	86.8%
	Female	Count	16	16
		% within Adult-Ped	13.2%	13.2%
Total		Count	121	121
		% within Adult-Ped	100.0%	100.0%

a. Planning Area = West Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	3	5
		% within Sex	.2%	2.3%	.4%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count	3	1	4
		% within Sex	.3%	.8%	.3%
	13-19	Count	6	3	9
		% within Sex	.5%	2.3%	.7%
	20-24	Count	50	7	57
		% within Sex	4.3%	5.3%	4.4%
	25-29	Count	179	15	194
		% within Sex	15.5%	11.5%	15.1%
	30-39	Count	516	55	571
		% within Sex	44.6%	42.0%	44.4%
	40-49	Count	272	26	298
		% within Sex	23.5%	19.8%	23.2%
	50-59	Count	84	12	96
		% within Sex	7.3%	9.2%	7.5%
	60-69	Count	35	8	43
		% within Sex	3.0%	6.1%	3.3%
	70+	Count	8	1	9
		% within Sex	.7%	.8%	.7%
Total		Count	1156	131	1287
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	241	24	265
		% within Sex	20.8%	18.3%	20.6%
	African American	Count	46	10	56
		% within Sex	4.0%	7.6%	4.4%
	Hispanic	Count	865	97	962
		% within Sex	74.8%	74.0%	74.7%
	Asian-Pacific Islander	Count	2		2
		% within Sex	.2%		.2%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
	Not Specified	Count	1		1
		% within Sex	.1%		.1%
	Total		1156	131	1287
			100.0%	100.0%	100.0%

a. Planning Area = West Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	792		792
		% within Sex	68.5%		61.5%
	IDU	Count	123	30	153
		% within Sex	10.6%	22.9%	11.9%
	M-M & IDU	Count	76		76
		% within Sex	6.6%		5.9%
	Hemophiliac	Count	15		15
		% within Sex	1.3%		1.2%
	Heterosexual Contact	Count	46	69	115
		% within Sex	4.0%	52.7%	8.9%
	Transfusion	Count	20	12	32
		% within Sex	1.7%	9.2%	2.5%
	Not Classified	Count	78	16	94
		% within Sex	6.7%	12.2%	7.3%
	Ped Hemophiliac	Count	2		2
		% within Sex	.2%		.2%
	Ped Parent at Risk	Count	4	4	8
		% within Sex	.3%	3.1%	.6%
Total	Count	1156	131	1287	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	263	265
		% within Adult-Ped	20.0%	20.6%	20.6%
	African American	Count	1	55	56
		% within Adult-Ped	10.0%	4.3%	4.4%
	Hispanic	Count	7	955	962
		% within Adult-Ped	70.0%	74.8%	74.7%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		.2%	.2%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		1	1
		% within Adult-Ped		.1%	.1%
Total		Count	10	1277	1287
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	6	1150	1156
		% within Adult-Ped	60.0%	90.1%	89.8%
	Female	Count	4	127	131
		% within Adult-Ped	40.0%	9.9%	10.2%
Total		Count	10	1277	1287
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		2	2
		% within Sex		2.6%	.3%
	2-4	Count	1		1
		% within Sex	.2%		.1%
	5-12	Count		1	1
		% within Sex		1.3%	.1%
	13-19	Count	6	2	8
		% within Sex	1.0%	2.6%	1.1%
	20-24	Count	27	6	33
		% within Sex	4.3%	7.7%	4.7%
	25-29	Count	100	11	111
		% within Sex	15.9%	14.1%	15.7%
	30-39	Count	291	32	323
		% within Sex	46.3%	41.0%	45.8%
	40-49	Count	148	13	161
		% within Sex	23.6%	16.7%	22.8%
	50-59	Count	38	7	45
		% within Sex	6.1%	9.0%	6.4%
	60-69	Count	17	3	20
		% within Sex	2.7%	3.8%	2.8%
	70+	Count		1	1
		% within Sex		1.3%	.1%
Total		Count	628	78	706
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	3	4
		% within Sex	.2%	3.8%	.6%
	20-24	Count	6	2	8
		% within Sex	1.0%	2.6%	1.1%
	25-29	Count	22	9	31
		% within Sex	3.5%	11.5%	4.4%
	30-39	Count	234	26	260
		% within Sex	37.3%	33.3%	36.8%
	40-49	Count	258	20	278
		% within Sex	41.1%	25.6%	39.4%
	50-59	Count	77	13	90
		% within Sex	12.3%	16.7%	12.7%
	60-69	Count	25	4	29
		% within Sex	4.0%	5.1%	4.1%
	70+	Count	5	1	6
		% within Sex	.8%	1.3%	.8%
	Total	Count	628	78	706
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	112	14	126
		% within Sex	17.8%	17.9%	17.8%
	African American	Count	25	8	33
		% within Sex	4.0%	10.3%	4.7%
	Hispanic	Count	489	56	545
		% within Sex	77.9%	71.8%	77.2%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.2%		.1%
	Not Specified	Count	1		1
		% within Sex	.2%		.1%
	Total	Count	628	78	706
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	439		439
		% within Sex	69.9%		62.2%
	IDU	Count	62	20	82
		% within Sex	9.9%	25.6%	11.6%
	M-M & IDU	Count	41		41
		% within Sex	6.5%		5.8%
	Hemophiliac	Count	5		5
		% within Sex	.8%		.7%
	Heterosexual Contact	Count	32	39	71
		% within Sex	5.1%	50.0%	10.1%
	Transfusion	Count	11	6	17
		% within Sex	1.8%	7.7%	2.4%
	Not Classified	Count	37	10	47
		% within Sex	5.9%	12.8%	6.7%
	Ped Parent at Risk	Count	1	3	4
		% within Sex	.2%	3.8%	.6%
Total	Count	628	78	706	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		126	126
		% within Adult-Ped		17.9%	17.8%
	African American	Count		33	33
		% within Adult-Ped		4.7%	4.7%
	Hispanic	Count	4	541	545
		% within Adult-Ped	100.0%	77.1%	77.2%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		1	1
		% within Adult-Ped		.1%	.1%
Total	Count	4	702	706	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	627	628
		% within Adult-Ped	25.0%	89.3%	89.0%
	Female	Count	3	75	78
		% within Adult-Ped	75.0%	10.7%	11.0%
Total		Count	4	702	706
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	3	8
		% within Sex	.6%	2.3%	.8%
	1 (12-23 mo)	Count	1		1
		% within Sex	.1%		.1%
	2-4	Count	1	2	3
		% within Sex	.1%	1.6%	.3%
	5-12	Count		1	1
		% within Sex		.8%	.1%
	13-19	Count	11	8	19
		% within Sex	1.3%	6.2%	1.9%
	20-24	Count	53	14	67
		% within Sex	6.2%	10.9%	6.8%
	25-29	Count	133	18	151
		% within Sex	15.4%	14.0%	15.3%
	30-39	Count	389	46	435
		% within Sex	45.2%	35.7%	43.9%
	40-49	Count	194	23	217
		% within Sex	22.5%	17.8%	21.9%
	50-59	Count	52	9	61
		% within Sex	6.0%	7.0%	6.2%
	60-69	Count	21	3	24
		% within Sex	2.4%	2.3%	2.4%
	70+	Count	1	2	3
		% within Sex	.1%	1.6%	.3%
Total		Count	861	129	990
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count		1	1
		% within Sex		.8%	.1%
	1 (12-23 mo)	Count	1		1
		% within Sex	.1%		.1%
	2-4	Count	3		3
		% within Sex	.3%		.3%
	5-12	Count	3	4	7
		% within Sex	.3%	3.1%	.7%
	13-19	Count	1	1	2
		% within Sex	.1%	.8%	.2%
	20-24	Count	19	12	31
		% within Sex	2.2%	9.3%	3.1%
	25-29	Count	47	17	64
		% within Sex	5.5%	13.2%	6.5%
	30-39	Count	329	41	370
		% within Sex	38.2%	31.8%	37.4%
	40-49	Count	321	29	350
		% within Sex	37.3%	22.5%	35.4%
	50-59	Count	101	18	119
		% within Sex	11.7%	14.0%	12.0%
	60-69	Count	30	4	34
		% within Sex	3.5%	3.1%	3.4%
	70+	Count	6	2	8
		% within Sex	.7%	1.6%	.8%
Total		Count	861	129	990
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	143	27	170
		% within Sex	16.6%	20.9%	17.2%
	African American	Count	39	13	52
		% within Sex	4.5%	10.1%	5.3%
	Hispanic	Count	674	89	763
		% within Sex	78.3%	69.0%	77.1%
	Asian-Pacific Islander	Count	2		2
		% within Sex	.2%		.2%
	Not Specified	Count	3		3
		% within Sex	.3%		.3%
	Total	Count	861	129	990
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	586		586
		% within Sex	68.1%		59.2%
	IDU	Count	91	30	121
		% within Sex	10.6%	23.3%	12.2%
	M-M & IDU	Count	56		56
		% within Sex	6.5%		5.7%
	Hemophiliac	Count	5		5
		% within Sex	.6%		.5%
	Heterosexual Contact	Count	43	64	107
		% within Sex	5.0%	49.6%	10.8%
	Transfusion	Count	14	7	21
		% within Sex	1.6%	5.4%	2.1%
	Not Classified	Count	59	22	81
		% within Sex	6.9%	17.1%	8.2%
	Ped Parent at Risk	Count	7	6	13
		% within Sex	.8%	4.7%	1.3%
Total	Count	861	129	990	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		170	170
		% within Adult-Ped		17.4%	17.2%
	African American	Count	1	51	52
		% within Adult-Ped	7.7%	5.2%	5.3%
	Hispanic	Count	12	751	763
		% within Adult-Ped	92.3%	76.9%	77.1%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		3	3
		% within Adult-Ped		.3%	.3%
Total	Count	13	977	990	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	7	854	861
		% within Adult-Ped	53.8%	87.4%	87.0%
	Female	Count	6	123	129
		% within Adult-Ped	46.2%	12.6%	13.0%
Total		Count	13	977	990
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas